

<https://doi.org/10.17221/2/2025-SWR>

## Corrigendum

### Computed tomographic visualisation and 2D/3D microscopic evaluation of soil macro- and micromorphology

**Corrigendum to:** Pospíšilová L., Plisková J., Jaques V.A.J., Zikmund T., Sedlák L., Eichmeier A., Klement A., Kodešová R., Borůvka L., Kaiser J., Menšík L. (2024): Computed tomographic visualisation and 2D/3D microscopic evaluation of soil macro- and micromorphology. *Soil & Water Res.*, 19: 176–189. **Doi:** 10.17221/47/2024-SWR

The caption of Figure 1 on page 179

“Figure 1. Geological map of Czech Republic (A), map of the sampling sites and soil profiles in different slope positions (B), control site, occupying the top of the hill (C), eroded site, occupying convex slope (D), accumulated site, occupying concave slope (E)”

has been corrected as follows:

“Figure 1. Geological map of Czech Republic (A), map of the sampling sites and soil profiles in different slope positions (B), control site, occupying the top of the hill (C), eroded site, occupying convex slope (D), accumulated site, occupying concave slope (E); (photo C, D, E: A. Eichmeier, 2021 and V. Vlček, 2018)”

The explanatory notes under Table 1 on page 180

“A – abrupt; C – clear; L – loam; SL – silty loam; G – granular; CR – crumbly; SAB – subangular blocky; WE – weak; FR – friable; FM – firm; SC – sticky”

have been corrected as follows:

“A – abrupt; C – clear; L – loam; SL – silty loam; G – granular; CR – crumbly; SAB – subangular blocky; WE – weak; FR – friable; FM – firm; SC – sticky; data partly from Pospíšilová et al. (2019)”

The explanatory notes under Table 2 on page 181

“H<sub>2</sub>O – distilled water; SOC – soil organic carbon; CAS – coefficient of aggregate stability; nd – not determined”

have been corrected as follows:

“H<sub>2</sub>O – distilled water; SOC – soil organic carbon; CAS – coefficient of aggregate stability; nd – not determined; data partly from Pospíšilová et al. (2019)”

The authors apologise for any inconvenience that it may have caused.

Corresponding author:

Ing. Jana Plisková

xplisko2@mendelu.cz